

“Fresh-water Plankton of Scottish Lochs.”¹ Messrs West distinguish 12 species.

- 721. *Peridinium tabulatum*, Ehr. Common.
- 722. *Ceratium hirundinella*, Müll. Very common.
- 723. *C. cornutum* (Ehr.). Frequent.
- 724. *Glenodinium cinctum*, Ehr. Loch Ness.

INSECTS.

Mr Grimshaw has examined a small collection of insects, and given us some notes upon them. Most of them were in immature stages, and the species could not be identified, but Mr Grimshaw has indicated the families, and, where possible, the genera. The insects in the following list were all collected in Loch Ness.

- Gerris* ? *costæ*, H. Schff. (nymph).
- Corixa præusta*, Fieb.
- C. fabricii*, Fieb.
- C.* ? *distincta*, Fieb.

Ephemeriidæ, nymphs of two species ; nymph of a large species probably belonging to the genus *Baëtis*.

Trichoptera, larvæ. Cases and larvæ of *Oxyethira* or other Hydroptilid.

- Perlidæ, larvæ.
- Culex* sp., pupa.
- Chironomidæ, larvæ.
- Platambus maculatus*, L.
- Haliphys fulvus*, L.
- Hydroporus septentrionalis*, Gyll.
- Laccobius minutus*, L.

¹ *Trans. Roy. Soc. Edin.*, vol. xli. p. 493, 1905.