

- BUIDHE** (Fleet basin, Sutherland).—Rock-basin in crystalline schists, water-level now raised by artificial embankment.
- BUIDHE** (Tay basin).—Drift-dammed.
- BUILG**.—Ponded by moraines at both ends, and lying in a glaciated hollow on the pass between the Builg-Avon and Glen Gairn streams.
- BUNACHARAN**.—Vol. II. Part I. p. 353.
- BURGA WATER**.—Rock-basin in altered Old Red Sandstone.
- BURNTISLAND**.—Artificial reservoir on Lower Carboniferous volcanic platform.
- BURRALAND**.—Small rock-basin in granite and schists.
- BUTTERSTONE**.—Partly drift-dammed, in hollow along line of shatter-belt of Highland Border fault.
- CALAVIE**.—Vol. II. Part I. p. 353.
- CALDER**.—Rock-basin in Caithness flagstones. The south-eastern straight shore-line is determined by a line of fault which can be traced northwards to the Forss Water.
- CALLATER**.—Valley rock-basin in Highland schists (phyllites, black schist, and quartzite).
- CÀM**.—Vol. II. Part I. p. 189.
- CAOL NA DOIRE**.—Rock-basin in Moine schists.
- CARAVAT**.—Rock-basin in Lewisian Gneiss; tide sometimes enters the loch.
- CARLINGWARK**.—Hollow in drift resting on greywackes and shales.
- CASTLE** (Annan basin).—Kettle-hole in fluvio-glacial deposits; one of the Lochmaben lochs.
- CASTLE** (Bladenoch basin).—Rock-basin in Silurian greywackes.
- CASTLE SEMPLE**.—Drift-dammed, probably a large kettle-hole formed by a lobe of ice isolated from the retreating northern glacier, round which fluvio-glacial deposits were laid down. The loch is now largely silted up by detritus introduced by tributary streams.
- CEITHIR EILEANA, NA**.—Rock-basin in Lewisian Gneiss.
- CEÒ-GLAS**.—Small rock-basin draining into Loch Dùn na Seilcheig on plateau above Loch Ness (see Loch Bran).
- CHALUIM**.—Shallow drift-dammed loch with moraines forming islands and promontories.
- CHAORUINN, A'**.—Rock-basin in crystalline schists and epidiorite.
- CHLACHAIN, A'** (Lewis).—Rock-basin in Lewisian Gneiss, through which the river Creed flows.
- CHLACHAIN, A'** (Nairn basin).—Rock-basin, partly drift-dammed.
- CHLADAICH, A'**.—Rock-basin in Lewisian Gneiss.
- CHLÀIR, A'** (Helmsdale basin).—Part of same drift-dammed hollow as Baddanloch.
- CHOIRE, A'**.—Resting partly on schists and partly on drift on platform above Loch Ness. It flows into Loch Ruthven.
- CHON** (Forth basin).—Vol. II. Part I. p. 50.
- CHROISG, A'**.—Vol. II. Part I. p. 289.