

- CHUILINN, A' (Conon basin).—Vol. II. Part I. p. 289.
- CLAIR (Ewe basin).—Vol. II. Part I. p. 240.
- CLAISE FEÀRNA, NA.—Rock-basin in Lewisian Gneiss.
- CLICKHIMIN.—Drift-dammed in hollow of Old Red Sandstone.
- CLIFF.—Ponded by gravel at the margin of the present beach.
- CLINGS WATER.—Rock-basin in altered Old Red Sandstone strata, partly drift-dammed.
- CLOUSTA.—Resting partly on Old Red Sandstone and partly on drift.
- CLUBBI SHUNS.—Small rock-basin in granite of Roeness Hill, Shetland.
- CLUNIE (Ness basin).—Valley rock-basin in schists and granite; simple U-shaped basin with irregular sides strewn with moraines.
- CLUNIE (Tay basin).—Small shallow lake ponded by drift.
- COINNICH, NA.—Ponded by drift.
- COIR' AN FHEÀRNA.—Rock-basin along strike of crystalline schists in valley open at both ends, which drained part of the ice from Central Sutherland (see Loch a' Bhealaich).
- COIRE NAM MEANN.—Rock-basin in Moine schists.
- COLLASTER.—Partly on rock and partly in drift.
- CORNISH.—Ponded by drift in hollow near the edge of the Loch Doon granite mass.
- COULIN (Ewe basin).—Vol. II. Part I. p. 240.
- CRAGGIE (Oykell).—Rock-basin in Moine schists.
- CRAIGE, NA.—Small drift-dammed loch lying on crystalline schists.
- CRANN.—Vol. II. Part I. p. 289.
- CRAOBHAIG, NA.—Rock-basin in Lewisian Gneiss.
- CREAGACH.—Vol. II. Part I. p. 329.
- CREIGE LÉITHE, NA.—Rock-basin in Lewisian Gneiss separated by a bar of stones from Loch nan Garbh Chlachan.
- CRÒ CRIOSDAIG.—Rock-basin in Lewisian Gneiss.
- CRÒCACH.—Vol. II. Part I. p. 188.
- CROGAVAT.—Rock-basin in Lewisian Gneiss.
- CROMBIE DEN.—Artificial reservoir in hollow cut out of boulder clay and Lower Old Red strata by stream.
- CRUNACHAN.—Remnant of a loch in drift nearly silted up.
- CUAICH, NA.—Rock-basin in Moine schists.
- CUIL AIRIDH A' FLOD.—Rock-basin in Lewisian Gneiss.
- CÙIL NA SÍTHE.—Ponded by drift.
- CUINNE, NAN.—Hollow in drift resting on Moine schists.
- CULTS.—Kettle-hole in fluvio-glacial deposits of 100-ft. raised beach.
- DAIMH, AN (Shin basin).—Vol. II. Part I. p. 307.
- DAIMH (Tay basin).—Rock-basin in crystalline schists.
- DALLAS.—Kettle-hole in fluvio-glacial deposits.
- DAMH (Torridon basin).—Rock-basin in valley open at both ends. The lower end of the lake lies in Lewisian Gneiss, which here forms a pre-Torridonian hill projecting through the basal members of the Torridon Sandstone, and the remainder rests on that formation.