

## SUMMARY TABLE.

*Giving Details concerning the Lochs in the Wick, Wester, Heilen, Dunnet, Thurso, and Forss Basins.*

Loch.	Height above sea. Feet.	Number of soundings.	Length in miles.	Breadth in miles.		Mean breadth per cent. of length.	Depth.			Ratio of depth to length.		Volume in million cubic feet.	Area in square miles.	Drainage area.	
				Max.	Mean.		Max. Feet.	Mean. Feet.	Max.	Mean.	Total in square miles.			Ratio to area of loch.	
Scarmclate	89.5	65	0.84	0.56	0.35	41.7	5	2.50	887	1774	21	0.30	6.96	23.5	
Watten	54.9	161	3.00	0.73	0.48	16.2	12	8.42	1320	1880	341	1.45	20.26	14.0	
Hempriggs	153.7	36	0.77	0.76	0.44	57.1	8	5.22	508	779	49	0.34	9.39	27.6	
Wester	6.0	57	1.00	0.30	0.17	17.0	3	1.50	1760	3520	7	0.17	29.59	174.1	
Heilen	112.8	61	1.60	0.42	0.19	11.9	5	2.50	1690	3380	21	0.30	1.52	5.1	
St. John's	71.3	73	0.82	0.56	0.37	45.2	7	4.50	618	962	38	0.30	1.55	5.1	
More	381.4	35	0.86	0.58	0.32	37.2	7	4.18	649	1086	32	0.28	67.40	240.7	
Shurrery	321.45	45	1.28	0.45	0.28	21.9	7	4.37	965	1547	43	0.36	28.89	80.3	
Calder	205.2	148	2.32	0.96	0.57	24.6	85	20.87	144	587	767	1.32	9.65	7.3	
	[May 28, 1870]	681									1319	4.82	168.25*	84.9	

\* The drainage area of Loch Watten includes that of Loch Scarmclate.